

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|--|---|------------------|---------|---------------------|
| L2    | 13   | ((corporate with credit with card) and ((consolidat \$4 aggregat\$4) with data) and (pars\$3) and account and ((load\$3 insert\$4 map \$4) with (storage database repository)) and (extend\$3 extension)) and  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/01/30<br>14:02 |
| L3    | 1019 | ((pars\$3 with (any all) with (file data) with (format type)) (generic adj2 parser))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/01/30<br>14:31 |
| L4    | 16   | ((pars\$3 with (any all) with (file data) with (format type)) (generic adj2 parser)) and ((extend \$3 extension) with pars\$3 with function)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/01/30<br>14:33 |
| L5    | 16   | ((pars\$3 with (any all) with (file data) with (format type)) (generic adj2 parser)) and ((extend \$3 extension) with pars\$3 with function) and field   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/01/30<br>14:35 |
| L6    | 13   | ((pars\$3 with (any all) with (file data) with (format type)) (generic adj2 parser)) and ((extend \$3 extension) with pars\$3 with function) and field and @ad<"20040421"                                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/01/30<br>14:35 |
| L7    | 2    | ((pars\$3 with (any all) with (file data) with (format type)) (generic adj2 parser)) and ((extend \$3 extension) with pars\$3 with function) and field and @ad<"20040421" and ((extend\$3 extension) with BNF) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2010/01/30<br>14:37 |

|     |    |  |   |    |    |                     |
|-----|----|--|---|----|----|---------------------|
| L8  | 43 | ((pars\$3 with (any all) with (file data) with (format type)) (generic adj2 parser)) and ((extend \$3 extension) with pars \$3) and field and @ad<"20040421"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:39 |
| L9  | 3  | ((pars\$3 with (any all) with (file data) with (format type)) (generic adj2 parser)) and ((extend \$3 extension) with pars\$3 with field) and @ad<"20040421"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:40 |
| L10 | 2  | ((pars\$3 with (any all) with (file data) with (format type)) (generic adj2 parser)) and ((extend \$3 extension) with pars \$3) and (handling with specific with field) and @ad<"20040421"                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:41 |
| L11 | 2  | ((pars\$3 with (any all) with (file data) with (format type)) (generic adj2 parser)) and ((extend \$3 extension) with pars \$3) and (handl\$3 with specific with field) and @ad<"20040421"                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:41 |
| L12 | 57 | ((pars\$3 with (any all different disparate) with (file data) with (format type)) (generic adj2 parser)) and (pars\$3 with (transaction\$2 feed data \$1feed)) and @ad<"20040421"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:43 |
| L13 | 2  | ((pars\$3 with (any all different disparate) with (file data) with (format type)) (generic adj2 parser)) and (pars\$3 with (transaction\$2 feed data \$1feed)) and @ad<"20040421" and ((extend\$3 extension) with pars\$3) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:43 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| L14 | 2   | "20050039124"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:47 |
| L15 | 0   | "20050039124" and (data<br>with any with type)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:49 |
| L16 | 0   | "20050039124" and (any<br>with type)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:49 |
| L17 | 1   | "20050039124" and<br>((data language) with<br>type)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:50 |
| L18 | 579 | ((pars\$3 with (data feed<br>transaction\$2 stream))<br>and ((extend\$3<br>extension) with parser)                                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:52 |
| L19 | 1   | ((pars\$3 with (data feed<br>transaction\$2 stream))<br>and ((extend\$3<br>extension) with parser<br>with specific with field)          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:52 |
| L20 | 37  | ((pars\$3 with (data feed<br>transaction\$2 stream))<br>and ((extend\$3<br>extension) with parser<br>with field)                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:52 |
| L21 | 18  | ((pars\$3 with (data feed<br>transaction\$2 stream))<br>and ((extend\$3<br>extension) with parser<br>with field) and<br>@ad< "20040421" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>14:53 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| L22 | 270 | (pars\$3 with data with (many different plurality several multiple) with format) and @ad<"20040421"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>15:15 |
| L23 | 14  | (pars\$3 with data with (many different plurality several multiple) with format) and @ad<"20040421" and ((extension extend\$3) with field)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>15:24 |
| L24 | 1   | (pars\$3 with data with (many different plurality several multiple) with format) and @ad<"20040421" and ((extension extend\$3 specific customi\$7) with format) and (handl\$3 with additional with (field element)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>15:38 |
| L25 | 2   | "20080319808" and (card)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>15:58 |
| L26 | 2   | "20080319808" and (((corporate with card) same (credit with card))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>15:59 |
| L27 | 2   | "20020147622"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/30<br>16:22 |
| S24 | 13  | (generic with parser) and (pars\$3 with ((output\$4 transl\$4 transform\$6) with data with ((common with format) xml)))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>14:51 |

|     |      |  |   |    |    |                     |
|-----|------|--|---|----|----|---------------------|
| S25 | 13   | ((generic with parser) and (pars\$3 same ((output\$4 transl\$4 transform\$6) with data with ((common with format) xml))))                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>14:51 |
| S26 | 7    | ((generic with parser) and (pars\$3 same ((output\$4 transl\$4 transform\$6) with data with ((common with format) xml)))) and @ad<"20040421" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>14:51 |
| S27 | 76   | ((generic adj2 parser) and @ad<"20040421"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:12 |
| S29 | 0    | ((generic adj2 parser) and @ad<"20040421" and (((extend\$3 extension specific) with parser) same overwrit\$3)                                | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:13 |
| S33 | 1781 | ((deecal with international).as. (firstdata (first adj data)).as.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:29 |
| S34 | 107  | ((deecal with international).as. (firstdata (first adj data)).as. and ((commercial with card) (corporate with bill\$4))                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:30 |
| S35 | 107  | ((deecal with international).as. (firstdata (first adj data)).as.) and ((commercial with card) (corporate with bill\$4))                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:30 |
| S36 | 7    | ((deecal with international).as. (firstdata (first adj data)).as.) and ((commercial with card) (corporate with bill\$4)) and pars\$3         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:31 |

|     |    |   |   |    |    |                     |
|-----|----|---|---|----|----|---------------------|
| S37 | 84 | ((deecal with international).as.<br>(firstdata (first adj data)).<br>as.) and pars\$3   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:35 |
| S38 | 0  | ((deecal with international).as.<br>(firstdata (first adj data)).<br>as.) and pars\$3 and<br>(generic with parser)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:35 |
| S39 | 8  | ((deecal with international).as.<br>(firstdata (first adj data)).<br>as.) and pars\$3 and xml   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:36 |
| S40 | 8  | ((deecal with international).as.<br>(firstdata (first adj data)).<br>as.) and pars\$3 and (xml<br>mark\$1up)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:36 |
| S41 | 37 | (generic adj2 parser) and<br>@ad< "20040421" and<br>((extend\$3 extension<br>specific) with parser)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:39 |
| S42 | 29 | (generic adj2 parser) and<br>@ad< "20040421" and<br>((extend\$3 extension<br>specific) with parser) and<br>((conver\$4 transl\$4<br>transform\$6 re\$1format<br>\$4) with (format message<br>transaction data<br>information))                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:40 |
| S43 | 29 | (generic adj2 parser) and<br>@ad< "20040421" and<br>((extend\$3 extension<br>specific) with parser) and<br>((conver\$4 transl\$4<br>transform\$6 re\$1format<br>\$4) with (format message<br>transaction data<br>information)) and<br>@ad< "20040421" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:41 |

|     |    |   |   |    |    |                     |
|-----|----|---|---|----|----|---------------------|
| S44 | 66 | (generic adj2 (parser handler)) and @ad<"20040421" and ((extend\$3 extension specific) with (parser handler)) and ((conver\$4 transl\$4 transform\$6 re \$1format\$4) with (format message transaction data information)) and @ad<"20040421"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:42 |
| S45 | 18 | (generic adj2 (parser handler)) and @ad<"20040421" and ((extend\$3 extension specific) with (parser handler)) and ((conver\$4 transl\$4 transform\$6 re \$1format\$4) with (format message transaction data information)) and @ad<"20040421" and (((credit commercial) with card) financ\$3 payment biller) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/28<br>15:44 |
| S47 | 58 | (generic with file with parser)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>14:31 |
| S48 | 11 | (generic with file with parser) and (pars\$3 with (plurality multiple many different disparate) with (provider resource source))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>14:32 |
| S49 | 10 | (generic with file with parser) and (pars\$3 with (plurality multiple many different disparate) with (provider resource source)) and ((specific extend\$3 extension) with (parser module))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>14:33 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| S50 | 2   | ((generic with file with parser) and (pars\$3 with (plurality multiple many different disparate) with (provider resource source)) and ((specific extend\$3 extension) with (parser module)) and transaction\$2                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>14:34 |
| S51 | 0   | ((generic with file with parser) and (pars\$3 with (plurality multiple many different disparate) with (provider resource source)) and ((specific extend\$3 extension) with (parser module)) and transaction\$2 and @ad<"20040421" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>14:34 |
| S52 | 8   | ((generic with file with parser) and (pars\$3 with (plurality multiple many different disparate) with (provider resource source)) and ((specific extend\$3 extension) with (parser module)) and @ad<"20040421"                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>14:35 |
| S53 | 24  | ((generic with parser) and (pars\$3 with (plurality multiple many different disparate) with (provider resource source)) and ((specific extend\$3 extension) with (parser module)) and @ad<"20040421"                              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>14:37 |
| S54 | 36  | ((generic with parser) and (pars\$3 with (plurality multiple many different disparate) with (provider resource source format)) and ((specific extend\$3 extension) with (parser module)) and @ad<"20040421"                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>14:37 |
| S55 | 847 | ((corporate with credit with card)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:09 |



|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| S56 | 120 | ((corporate with credit with card) and ((consolidat\$4 aggregat\$4) with data)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:10 |
| S57 | 38  | ((corporate with credit with card) and ((consolidat\$4 aggregat\$4) with data) and (pars\$3)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:10 |
| S58 | 25  | ((corporate with credit with card) and ((consolidat\$4 aggregat\$4) with data) and (pars\$3) and account   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:10 |
| S59 | 15  | ((corporate with credit with card) and ((consolidat\$4 aggregat\$4) with data) and (pars\$3) and account and ((load\$3 insert\$4 map\$4) with (storage database repository))                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:11 |
| S60 | 2   | ((corporate with credit with card) and ((consolidat\$4 aggregat\$4) with data) and (pars\$3) and account and ((load\$3 insert\$4 map\$4) with (storage database repository)) and @ad< "20040421" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:18 |
| S61 | 114 | ((corporate with card) and ((consolidat\$4 aggregat\$4) with data) and (pars\$3) and account and ((load\$3 insert\$4 map\$4) with (storage database repository))                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:20 |
| S62 | 109 | ((corporate with card) and ((consolidat\$4 aggregat\$4) with data) and (pars\$3) and account and ((load\$3 insert\$4 map\$4) with (storage database repository)) and (credit with card)          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:21 |

|     |    |   |   |    |    |                     |
|-----|----|---|---|----|----|---------------------|
| S63 | 56 | ((corporate with card) and ((consolidat\$4 aggregat \$4) with data) and (pars \$3) and account and ((load\$3 insert\$4 map\$4) with (storage database repository)) and (credit with card) and @ad<"20040421"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:21 |
| S64 | 56 | ((corporate with card) and ((consolidat\$4 aggregat \$4) with data) and (pars \$3) and account and ((load\$3 insert\$4 map\$4) with (storage database repository)) and (credit with card) and @ad<"20040421" and transaction\$2                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:22 |
| S65 | 31 | ((corporate with card) and ((consolidat\$4 aggregat \$4) with data) and (generic with pars\$3) and account and ((load\$3 insert\$4 map\$4) with (storage database repository)) and (credit with card) and @ad<"20040421" and transaction\$2             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:22 |
| S66 | 31 | ((corporate with card) and ((consolidat\$4 aggregat \$4) with data) and (generic with pars\$3) and account and ((load\$3 insert\$4 map\$4) with (storage database repository)) and (credit with card) and @ad<"20040421" and transaction\$2 and pars\$3 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:22 |
| S67 | 0  | pct/us05/004950.pct.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:50 |
| S68 | 0  | pctus05004950.pct.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:50 |

|     |   |                       |   |    |    |                     |
|-----|---|-----------------------|---|----|----|---------------------|
| S69 | 0 | us2005004950.pct.     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:51 |
| S70 | 0 | pct/us05/04950.pct.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:52 |
| S71 | 0 | pct/us2005/04950.pct. | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:53 |
| S72 | 0 | pctus0504950.pct.     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:53 |
| S73 | 4 | "200504950"           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/01/29<br>19:53 |

**EAST Search History (Interference)**

| Ref # | Hits | Search Query         | DBs                      | Default Operator | Plurals | Time Stamp       |
|-------|------|----------------------|--------------------------|------------------|---------|------------------|
| S13   | 0    | "10796249" and qtree | US-PGPUB;<br>USPAT; UPAD | OR               | ON      | 2010/01/27 15:27 |
| S14   | 0    | "10796249"           | US-PGPUB;<br>USPAT; UPAD | OR               | ON      | 2010/01/27 15:27 |

1/ 30/ 2010 4:32:13 PM

C:\Documents and Settings\klovel\My Documents\EAST\Workspaces\ 10828811  
\ 10828811\_5.wsp